

DOOR-COUPLING ROTARY MECHANISM IP64, FOR
CIRCUIT-BREAKER SIZE S00...S3, BLACK, 330 MM
SHAFT



General technical data:

product brandname		SIRIUS
Product designation		door-coupling rotary operating mechanism
Size of the circuit-breaker		S00, S0, S2, S3
Design of the product		standard
Control version of the switch operating mechanism		long shaft
Suitability for use		Circuit breaker S00, S0, S2, S3
Protection class IP on the front		IP64
Ambient temperature		
• during storage	°C	-50 ... +80
• during operation	°C	-20 ... +70
Operating frequency maximum	1/h	15
Color of the actuating element		black

Installation/ mounting/ dimensions:

Mounting position		any
Mounting type		screw fixing
Width	mm	66
Height	mm	66
Depth	mm	50

Length	mm	330
Diameter	mm	22.5
Required spacing for grounded parts		
• forwards	mm	0
• Backwards	mm	0
• upwards	mm	0
• at the side	mm	0
• downwards	mm	0

Certificates/ approvals:

Certificate of suitability

CE / UL / CSA

General Product Approval	Declaration of Conformity	Test Certificates		
 CSA	 UL	 EG-Konf.	Type Test Certificates/Test Report	Declaration of the Compliance with the order
				Special Test Certificate

Shipping Approval	other			
 ABS	 BUREAU VERITAS	Environmental Confirmations	Confirmation	 VDE

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<http://www.siemens.com/industrymall>

Cax online generator



<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RV2926-0K>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3RV2926-0K>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RV2926-0K&lang=en



last modified:

06/20/2017